

[China Electronic remote-reading water meter, Manufacturer, Supplier, Factory, Exporter in china](#)



[Electronic remote-reading](#)

Product Type: LYH/FX-8; LYH/FX-8S LXS/FX-15C,E~50C E LXSC/FX-15E-50E LXL/FX-80C~200C ELECTRONIC REMOTE-READING WATER

METER Remark: APPLICATION: This range of water meter is used to measure the water which consumed in household or a residence unit, passing through pipeline As equipped with a built-in sensor, it can be used for a remote reading transmission system ,FEATURE: 1. Selected sensitive reed-type pluses 2 Resistance to interference 3, Keep its fundamental function as stand ar d meter 4. Consumption can be collected by remote transit with accurate and reliable reading 5. Can be connected with compter , for management, OPERATING

CONDITIONS: Water temperature  $\leq +40^{\circ}\text{C}$  Water pressure  $\leq 1\text{MPa}$  LIMITS OF INDICATION ERROR: For the low rengion from minimum flow inclusive( $q_{min}$ ) to boundary flow exclusive( $q_t$ ):  $\pm 5\%$ , For the high region from boundary flow inclusive( $q_t$ ) to overload flow inclusive( $q_s$ ):  $\pm 2\%$ .

Size Class	Qs	Max. Flow	Qp	Nominal Flow	Qt	Transitional Flow	Qmin	Min. Flow	Min. Reading	Max. Reading
15 A	3	1.5	0.15	0.060	0.000005	9.999	B	0.12	0.030	20
20 A	5	2.5	0.25	0.100	0.000005	9.999	B	0.20	0.050	25
25 A	7	3.5	0.35	0.140	0.000005	9.999	B	0.28	0.070	32
32 A	12	6.0	0.60	0.240	0.000005	9.999	B	0.48	0.120	40
40 A	20	10	1.00	0.400	0.000005	99.999	B	0.80	0.200	50
50 A	30	15	4.50	1.200	0.000005	99.999	B	3.00	0.450	80
80 A	40	12.0	3.2	0.01	999.999	B	8.0	1.2	100	120
120 A	60	18.0	4.8	0.01	999.999	B	12.0	1.8	150	150
150 A	300	150	45.0	12.0	0.1	9.999.999	B	30.0	4.5	200
200 A	500	250	75.0	2.0	0.1	9.999.999	B	50.0	7.5	

Type	Qs	max. Flow	Qp	Nominal Flow	Qt	Transitional Flow	Qmin	Min Flow	Start-up Flow	Min. Reading	Max. Reading
L/H L	LYH-8	600	300	22.5	12.5	$\leq 2$	0.005	999.999			
Size											
Length	Width	Height	Connecting	Thread	mm	mm	D	d			
15	165	99	104	G3/4B	R $\frac{1}{2}$	20	195	99	106	G1B	R $\frac{3}{4}$
25	225	104	117	G1 $\frac{1}{4}$ B	R1	32	230	104	117	G1 $\frac{1}{2}$ B	R1 $\frac{1}{4}$
40	245	125	147	G2B	R1 $\frac{1}{2}$	50	280	125	174	D1=160	D2=125
50	285	150	174	4-m16							
Size											
Length	Height	Connecting	flange	mm	mm	Outer Dia	D1	Bolt	Circle	Dia	D2
200	160	4-m16	100	250	253	220	180	8-m16	150	300	311
285	284	8-m20	200	350	365	384	295	8-m20			
Type	Length	Width	Height	Connecting	Whorl	Weight	mm	D	kg		
LYH-8	110	82	91	G3/4B	0.89	LYH-8S	100	82	91	G3/4B	0.39

[Plastic water meters](#), [Plastic cold water meter](#) , [Drinjing cold water meter](#) , [Dry dial Plastic water meter](#) , [Wet dial Plastic water meter](#) , [Multi jet plastic water meter](#), [Volumetric plastic body water meter](#), [Single jet plastic water meter](#), [Multi jet wet dial plastic](#)

[water meter](#),[Plastic body drinking water meter](#),[Multi jet water meters](#),[Multijet hot and cold water meters](#) , [Multi-jet cold water meter](#) , [Multi-jet hOT water meter](#) , [Multi-jet vane wheel water meter](#) , [Multi-jet dry type water meter](#),[Multi-Jet liquid sealed water meter](#),[Multi-jet dry type vane wheel water meter](#),[Multi-jet wet type cold water meter](#),[Multi-jet wet type hot water meter](#) ,[Multi-jet wet-dial cold water meter](#),[Vertical type water meter](#),[Single jet water meter](#),[Single flow water meter](#) , [Rotary vane dry type cold water meter](#),[Rotary-wing liquid-sealed water meter](#),[Single jet vane wheel cold water meter](#),[Single jet van wheel dry type water meter](#),[Single jet hot water meters](#),[Rotary vane wheel wet-dial\(hot\) water meter](#),[Volumetric water meter](#),[Rotary position type water meter](#) , [Volumetric rotary piston water meter](#),[Volumetric rotary piston cold water meters](#),[Volumetric rotary piston dry dial water meters](#),[Volumetric liquid sealed water meter](#),[Drinking water measuring instruments](#),[Gallon water meter](#),[Woltman type water meters](#),[Turbine water meters](#) , [Industrial water meter](#) , [Woltman type removable water meter](#),[Upright rotary vane wheel removable water meter](#),[Element woltman hot and cold water meter](#),[Horizontal orizotal woltman type water meter](#),[Combination water meters](#),[Remote reading water meters](#),[Single jet vane wheel dry dail remote reding](#),[Electronic remote-reading water meter](#),[Water meter accessories](#),[Water meter mechanism](#),[Water meter body](#),[Water meter box](#),[Water meter cover](#),[Household water meter cover](#) , [Copper pipe joint](#),

---

Ningbo Aimei Meter Manufacture Co., Ltd.

Add: West Town Road 68, Shangtian Town Fenghua Zhejiang, China.

Contact: Dong Yuegao

Tel: 0086574-88637838 88633088

Fax: 0086574-88637968

E-mail:[sales@allwatermeter.com](mailto:sales@allwatermeter.com)

WebSite: <http://www.allwatermeter.com>

---